

EXPERIENCE SHARING OF BROOD BOX

1. THE PRODUCT COMES WITH A 25-WATT UVB THERMAL LIGHT LAMP, WHICH IS A KIND OF HEATING SOURCE THAT SIMULATES THE SUN. THE BENEFICIAL EFFECT OF ITS LIGHT ON SMALL ANIMALS IS THAT ENERGY-SAVING LAMPS, LED LAMPS AND OTHER LAMPS THAT CAN NOT BE COMPARED WITH COLD LIGHT SOURCES HAVE A CERTAIN LIFE. YOU CAN ALSO GO TO THE HARDWARE STORE TO BUY 25-40W INCANDESCENT BULBS INSTEAD OF USING, DO NOT USE ENERGY-SAVING LAMPS, LED LIGHTS AND OTHER COLD LIGHT.

2. THE USE OF INCUBATING BOX FEEDING JUST CHU SHELL CHICK CHICK, NOT TRUSTING THERMOMETER, THE BEST WAY IS TO OBSERVE THE ACTIVITY OF THE CHICK: IF THE CHICK DOES NOT LOVE TO SHRINK INTO A GROUP, YOU NEED TO IMPROVE THE BRIGHTNESS OF THE LIGHT; IF THE CHICK OPENS ITS MOUTH TO BREATHE TO AVOID THE LIGHT, IT NEEDS TO REDUCE THE BRIGHTNESS OF THE LIGHT.

3. JUST OUT OF THE SHELL OF THE CHICKEN WILL NOT AUTOMATICALLY GO TO THE WATER FOUNTAIN TO DRINK WATER, CAN HOLD THE CHICKEN CHICKEN BEAK INTO THE WATER FOR TWO OR THREE SECONDS, AND THEN PUT THE CHICKEN NEXT TO THE WATER FOUNTAIN, SO THAT ALL THE CHICKENS CAN LEARN TO USE THE WATER FOUNTAIN.

4. JUST PICKLED CHICKEN AND OTHER YOUNG BIRDS WILL NOT USE AUTOMATIC FEEDER, CAN SCATTER FEED IN THE BROOD BOX, THE CHICKENS WILL AUTOMATICALLY PECK; DURING THE DAY, WHEN THE TEMPERATURE IS HIGH OR THE CHICKS ARE DEWARMED, THEY CAN BE TAKEN OUT OF THE BROOD BOX AND FED WITH A FEEDER.

5. THIS PRODUCT WITH SPECIAL WATER ABSORPTION NURSING PAD, CAN ACHIEVE DRY AND CLEAN FEEDING EFFECT, CLEANING CHICKEN FECES SUPER FAST AND CONVENIENT, WHEN USING, CAN BE AROUND THE NURSING PAD WITH A SMALL AMOUNT OF ADHESIVE TAPE ON THE WALL OF THE INCUBATOR, TO AVOID INDIVIDUAL NAUGHTY CHICKEN DRILLING INTO THE NURSING PAD BELOW.

6. SUMMER BROOD, IT IS BEST TO OPEN THE TOP COVER TO INCREASE AIR PERMEABILITY, SO AS NOT TO HIGH TEMPERATURE IN THE BOX; IN WINTER, IT IS GENERALLY NECESSARY TO COVER THE LID IN ORDER TO ACHIEVE BETTER INSULATION EFFECT.



BROOD BOX INSTALLATION

STEP 1: RECOGNIZE PLATES AND PARTS AS SHOWN ABOVE

STEP 2: PREPARATION

1. REFER TO FIGURE (1), INSTALL THE LAMP OPENING WITH WIRE ON THE ROOF WITH TWO SHORT SCREWS, AND FIX THE WIRE WITH WIRE CARD AND TWO SHORT SCREWS. INSTALL AND RESERVE.

2. THE ACRYLIC BOARD ON THE KRAFT PAPER PROTECTIVE FILM OFF STANDBY. REFER TO FIGURES (2) AND (3) AND INSTALL THE TWO SHAFTS ON THE ⑦ ACRYLIC CLAMSHELL WITH A SCREWDRIVER.



BROOD BOX ASSEMBLY INSTRUCTIONS:



FIGURE TO DISTINGUISH EACH PLATE, INCLUDING ⑦⑧ TRANSPARENT ACRYLIC PLATE, BEFORE USE TO UNCOVER THE SURFACE OF THE KRAFT PAPER PROTECTIVE FILM.




FIGURE OUT THE PARTS NAME AND QUANTITY	
LIGHT PORT WITH WIRE *1	
SHORT SCREW *4	LONG SCREW * 28
LINE CARD *1	A SHAFT * 2

STEP 2: ASSEMBLE

1. ACCORDING TO THE OVERALL SHAPE OF THE BROOD BOX, THE WHOLE SHALL BE JOINTED TOGETHER THROUGH MORTISE AND TENON JOINTS. MATTERS NEEDING ATTENTION :(1) IN GENERAL, ASSEMBLE IN THE ORDER OF WHITE PLATE AND TRANSPARENT ACRYLIC PLATE; (2) THE WIRES ON THE TOP PLATE COME OUT THROUGH THE U-SHAPED HOLES ON THE ⑤ TAILGATE.

2. AFTER ASSEMBLY, SCREW THE LONG SCREWS ON THE RESERVED SCREW HOLES ON THE OUTER WALL AROUND THE INCUBATOR AND FIX THEM. POSITION OF LONG SCREWS: THERE ARE 5 SCREWS ON THE LEFT AND RIGHT SIDE PLATES, 9 SCREWS ON THE REAR BAFFLE PLATE AND 9 SCREWS ON THE BOTTOM PLATE, ALTOGETHER 28 SCREW POSITIONS.

3. INCUBATING BOX WITH PET URINALPAD, CAN ACHIEVE DRY AND CLEAN FEEDING EFFECT, CLEANING CHICKEN FECES SUPER FAST AND CONVENIENT, WHEN USING THE PET URINALPAD AROUND PART WITH A SMALL AMOUNT OF TAPE ON THE INCUBATOR WALL, TO AVOID INDIVIDUAL NAUGHTY CHICKS DRILLING INTO THE MAT BELOW. THE ASSEMBLY IS COMPLETE.

EXPERIENCE SHARING OF BROOD BOX

1, THIS PRODUCT COMES WITH A 25-WATT UVB THERMAL LIGHT LAMP, WHICH IS A KIND OF HEATING LIGHT SOURCE THAT SIMULATES THE SUN. THE BENEFICIAL EFFECT OF ITS LIGHT ON SMALL ANIMALS CAN NOT BE COMPARED WITH THE COLD LIGHT SOURCE SUCH AS ENERGY-SAVING LAMP LED LAMP. LAMPS AND LANTERNS HAVE A CERTAIN LIFE, IF THE LONG-TERM SERVICE LIFE OF THE BULB IS BROKEN, YOU CAN GO TO THE STORE TO BUY THE ORIGINAL BULB, BUT ALSO TO THE HARDWARE STORE TO BUY 25-40W INCANDESCENT BULBS INSTEAD OF USING, MUST NOT USE ENERGY-SAVING LAMPS, LED LIGHTS AND OTHER COLD LIGHT.

2, THE USE OF INCUBATING BOX JUST CHU SHELL OF CHICKENS, CHICKS, NOT TRUSTING THERMOMETER, THE BEST WAY IS TO OBSERVE THE ACTIVITY OF THE CHICKENS: IF THE CHICKENS DO NOT LOVE TO MOVE, SHRINK INTO A GROUP, YOU NEED TO IMPROVE THE BRIGHTNESS OF THE LIGHT; IF THE CHICK OPENS ITS MOUTH TO BREATHE TO AVOID THE LIGHT, IT NEEDS TO REDUCE THE BRIGHTNESS OF THE LIGHT.

3, JUST OUT OF THE SHELL OF THE CHICKEN WILL NOT AUTOMATICALLY GO TO THE WATER FOUNTAIN TO DRINK WATER, CAN HOLD THE CHICKEN CHICKEN BEAK INTO THE WATER FOR TWO OR THREE SECONDS, AND THEN PUT THE CHICKEN NEXT TO THE WATER FOUNTAIN, SO THAT ALL THE CHICKENS CAN LEARN TO USE THE WATER FOUNTAIN.

4, JUST PICKLED CHICKEN, CHICKS WILL NOT USE AUTOMATIC FEEDER, CAN SCATTER FEED IN THE BROOD BOX, THE CHICKENS WILL AUTOMATICALLY PECK; DURING THE DAY, WHEN THE TEMPERATURE IS HIGH OR THE CHICKS ARE DEWARMED, THEY CAN BE TAKEN OUT OF THE BROOD BOX AND FED WITH A FEEDER.

5, THIS PRODUCT WITH SPECIAL WATER ABSORPTION NURSING PAD, CAN ACHIEVE DRY AND CLEAN FEEDING EFFECT, CLEANING CHICKEN FECES SUPER FAST AND CONVENIENT, WHEN USING, CAN BE AROUND THE NURSING PAD WITH A SMALL AMOUNT OF ADHESIVE TAPE ON THE WALL OF THE INCUBATOR, TO AVOID INDIVIDUAL NAUGHTY CHICKEN DRILLING INTO THE NURSING PAD BELOW.

6, SUMMER BROOD, IT IS BEST TO OPEN THE TOP COVER TO INCREASE AIR PERMEABILITY, SO AS NOT TO HIGH TEMPERATURE IN THE BOX; IN WINTER, IT IS GENERALLY NECESSARY TO COVER THE LID IN ORDER TO ACHIEVE BETTER INSULATION EFFECT.

THIS MANUAL TAKES THE SMALL BROODER BOX AS AN EXAMPLE. FOR OTHER MODELS AND SIZES, REFER TO THE INSTALLATION METHOD OF THE SMALL BROODER BOX. THE NUMBER OF ACCESSORIES VARIES WITH THE SIZE OF BROODER BOX.



THE HOT LIGHT




CERAMIC LAMP



LAMP COVER





THE THERMOMETER



Instrukce k používání odchovny

- 1. Součástí je 25W UVB tepelná lampa:** Produkt obsahuje 25W UVB tepelnou lampu, která slouží jako zdroj tepla imitující sluneční svit. Toto je prospěšné pro malá zvířata, protože nabízí výhody, které nelze dosáhnout s úspornými nebo LED lampami kvůli jejich chladnému světlu. Tyto lampy mají omezenou životnost. Jako náhradu můžete zakoupit 25-40W žárovky v železářství. Nepoužívejte úsporné lampy nebo LED.
- 2. Pozorování chování kuřat pro určení teploty:** Při používání odchovny pro chov nově vylíhnutých kuřat je důležité nespolehat se výhradně na teploměr. Sledujte chování kuřat, abyste určili teplotu: pokud se kuřata neshlukují, je potřeba zvýšit intenzitu světla; pokud kuřata otvírají zobáky, jako by se snažila dýchat, a vyhýbají se světlu, je třeba snížit intenzitu světla.
- 3. Naučení kuřat pít:** Nově vylíhnutá kuřata automaticky neví, jak pít z napáječky. Můžete jim pomoci tím, že jim na dvě až tři sekundy ponoříte zobáčky do vody a poté je umístíte blízko napáječky. Tím se naučí pít samostatně.
- 4. Krmení nových kuřat:** Mladí ptáci, jako jsou čerstvě vylíhnutá kuřata, zpočátku nemusí vědět, jak používat automatické krmítko. Rozsypte krmivo přímo v odchovně, aby si kuřata mohla sama zobnout; v teplejších dnech nebo po odčervení je vhodné kuřata vyndat z odchovny a krmit je pomocí krmítka.
- 5. Použití speciálního savého podložky pro ošetřování:** Produkt obsahuje speciální savé podložky, které udržují krmení suché a čisté, což výrazně usnadňuje čištění. Podložky upevněte na stěny odchovny pomocí malého množství lepicí pásky, abyste zabránili kuřatům, aby se pod ně dostala.
- 6. Přizpůsobení podle ročního období:** V létě je vhodné otevřít horní poklop odchovny pro zlepšení cirkulace vzduchu a předejití přehřívání. V zimě je naopak doporučeno poklop nechat zavřený, aby se uvnitř udrželo teplo a dosáhlo se lepšího izolačního efektu.

Součásti odchovny





Pokyny k montáži odchovny

Krok 1: Identifikace komponent

Začněte rozpoznáváním desek a dílů, jak je uvedeno v návodu.

Příprava:

Podle obrázku (1) připevněte držák lampy ke střeše pomocí dvou krátkých šroubů. Elektrický vodič zajistěte pomocí drátěné svorky a dvou krátkých šroubů. Tuto sestavu prozatím odložte stranou. Odstraňte ochrannou kraftovou papírovou fólii z akrylátové desky. Podle obrázků (2) a (3) namontujte pomocí šroubováku čepy na 7 dílů akrylové skořepiny.



Krok 2: Montáž

Sestavte odchovnu tak, že všechny díly spojíte dohromady, především pomocí zadlabávacích a čepových spojů. Dávejte pozor na:

Obecně platí, že díly sestavujte střídavě z bílé desky a průhledných akrylových desek.

Provedte dráty z horní desky otvory ve tvaru písmene U umístěnými na zadních dveřích.

Po sestavení zajistěte konstrukci zašroubováním dlouhých šroubů do vyhrazených otvorů na vnějších stěnách inkubátoru. Umístění šroubů:

5 šroubů na každé z levých a pravých bočních desek.

9 šroubů na zadní přepážce.

9 šroubů na spodní desce

Celkem je to 28 pozic pro šrouby.

Chcete-li udržet suchý a čistý prostor pro krmení a usnadnit čištění slepičích výkalů, umístěte do chovného boxu močovou podložku pro domácí zvířata. Okraje podložky zajistěte malým množstvím pásky na stěnách inkubátoru, abyste zabránili zvědavým kuřatům v zahrabávání se pod podložku.

Uživatelská příručka k odchovně

UVB tepelná lampa je součástí balení: Tento výrobek obsahuje 25wattovou UVB tepelnou lampu, což je typ zdroje tepla, který napodobuje sluneční světlo. Příznivé účinky tohoto světla na malá zvířata předčí účinky zdrojů studeného světla, jako jsou úsporné a LED lampy. Upozorňujeme, že všechny lampy mají omezenou životnost. Pokud žárovka po delším používání selže, můžete ji vyměnit za originální typ dostupný v obchodech nebo se rozhodnout pro 25-40W žárovky z obchodu s domácími potřebami. Nepoužívejte úsporné žárovky, LED diody ani jiné typy studeného světla.

Sledování aktivity kuřat za účelem nastavení teploty: Při použití chovného boxu pro čerstvě vylíhlá mláďata je pozorování jejich chování spolehlivější než důvěra v teploměr. Pokud jsou mláďata letargická a choulí se k sobě, zvyšte intenzitu světla. Pokud mláďata otevírají ústa, aby se nadechla, a vyhýbají se světlu, snižte intenzitu světla.

Učení mláďat pít vodu: Nově vylíhlá mláďata nemusí automaticky pít z napáječky. Můžete je nasměrovat tak, že jim na dvě až tři sekundy jemně ponoříte zobák do vody a pak je umístíte do blízkosti napáječky. To pomůže všem mláďatům naučit se z ní pít.

Krmení kuřat: Zpočátku nemusí kuřata používat automatické krmítko. Krmivo rozsypejte přímo do odchovny; kuřata ho budou klovat přirozeně. V teplejších částech dne nebo po odčervení můžete kuřata vyndat z líhně a použít krmítko.

Speciální podložka pro krmení s absorpcí vody: Tento výrobek obsahuje speciální podložku pro krmení s absorpcí vody, která zajišťuje suchý a čistý prostor pro krmení a zjednodušuje úklid výkalů kuřat. Zajistěte podložku malým množstvím lepicí pásky na stěnách inkubátoru, abyste zabránili zvědavým kuřatům, aby se pod ní zahrabávala.

Sezónní úpravy chovného boxu: V létě je vhodné otevřít horní kryt, aby se zlepšilo proudění vzduchu a zabránilo se přehřátí. V zimě je obvykle nutné zakrýt víko, aby byla zajištěna lepší izolace.

Obecné pokyny: V tomto návodu je jako příklad použit malý chovný box. U různých modelů a velikostí postupujte podle způsobu instalace popsaného pro malý chovný box. Množství příslušenství se může lišit v závislosti na velikosti chovného boxu.



Topná žárovka



Keramická žárovka



Ochranný kryt lampy



Teploměr

